Total Play Components 14 This play equipment is Promo Unit Drawn By: play&park recommended for 10 **User Capacity Elevated Play Components** Scale: 3/16" = 1'-0" 20-169504 strúctures[®] children ages: Elevated Play Components Accessible by Ramp | 0 | Req. 50-60 Date: This drawing can be G 5-12 7/2/2024 Critical Fall Height scaled only when in A PLAYCORE Compar Elevated Components Accessible by Transfer 10 Req. an 11" x 17" format 544 Chestnut Street Quote Number: 8'-0" Minimum Area Required: Accessible Ground Level Components Shown 4 Req. Chattanooga, TN 37402 Play & Park Structures 48'-0" x 43'-11" 20-169504 800-727-1907 / www.playandpark.com Different Types of Ground Level Components Req. 1 S O 9 0 0 1 -48'-0"-SUPER Max PLAY SYSTEMS 71715 71715 71676 71903 METAL HANDHOLD 1360 SQ FT BARRIER 71013 **MINIMUM** RESONANCE CLIMBER 71958 SURFACING SLIDE SUPPORT 71678 SQUARE STALK RIGHT CURVED VELOCITY SLIDE 71650 DOUBLE CASCADE GEAR PANEL 71757 ENTRANCE 71672 8'0" CADENZA AL 71997 SQUARE STALK SLIDE LEG D 71972 SQUARE STALK TOPPER 72161 43'-11" DECK TO DECK STAIRS (2'8" RISE) 71473 METAL HANDHOLD BARRIER HANDHOLD 4'0" 5'4" 71013 PRISM CLIMBER 71961 71013 SPROUT CLIMBER 72009 71715 71715 71675 71903 SINGLE SEAT 71346 TWISTER 71254 ZEPHYR LINK (16" RISE 4' SPAN) 72128 DECK TO 2'0" DECK STAIRS 90° HORIZONTAL LOOP LADDER SINGLE VELOCITY - ATTACHMENT 71173 TRIANGLE TRANSFER POINT CHINNING BAR 61046 (5"O.D. to 5"O.D.) 71146 20 It is the manufacturer's opinion that the structure shown herein complies with current ada standards concerning accessibility if used with proper accessible surfacing and together with other necessary ground level play equipment. Top View drawings and measurements are for overall site and structure appearance purposes. Top view should not be conceived as a construction detail; therefore, all measurements and slope requirements should be field verified prior to construction. IMPORTANT: Never install play equipment over hard, unresilient surfaces such as asphalt, concrete, or compacted earth. It is the owner's responsibility to ensure the "minimum area required" contains an appropriate amount of resilient material to cushion accidental falls.