







Product Name:	Nova	
Model Number:	YP460	
Size:	Length: 10'-6"	
	Width: 10'-6"	
	Height: 10'-6"	
Fall Height:	10'	
Foundations:	8	
Concrete Volume:	1.8 cubic yards	
COMPLIANT	ASTM F-1487	
WITH:	CSA Z614	
Ages:	5-12 years	
Use Zone:	Length: 22'-6"	
	Width: 22'-6"	



Technical Details:	
Frame	Main Structure shall be 3-1/2" (89mm) diameter steel tubing combined with 2-3/8" (60.5mm) diameter steel tubing, which after fabrication shall be powder coated in accordance with the specifications herein.
Climbing Nets	20mm diameter rope consists of 6 main strands, each strand containing 24 galvanized steel reinforcing strands within a polyamide sleeve, wrapped around a solid polyamide core for a total of 144 reinforcing strands. Ropes shall achieve a Class 7-8 colorfastness rating.
Rope Ball Connec- tors	One-piece compressed aluminum ball connector, compressed in place with 150,000 pounds source (667kN) to prevent the connection from moving and causing premature cable wear.
Rope End Fittings	One-piece compressed stainless steel end fitting.
Climber Pipe Junc- tions	7-3/4" (200mm) diameter structural aluminum balls with aluminum covers. Shall be powder coated in accordance with the specifications herein.
Tensioning	Tensioning is achieved by way of a galvanized shackle and stainless steel eyebolt located at each Climber Pipe Junction capable of drawing the cables a minimum of 4"(100mm)
Fasteners	All fasteners shall be stainless steel with locking patch or locking compound.
Metal Finish	Polyester (Powder) Coating – The polyester coating shall be uniformly applied by the electro- static method to a minimum thickness of four mils. Promptly after application of the powder, the coating shall be oven-cured at 350 degrees Fahrenheit. The color(s) of the polyester coating shall be from the manufacturer's standard color selection.
Installation	Installation recommended by a licensed playground contractor, trained and certified on the applicable playground installation methods and standards, preferably certified by manufacturer or National Playground Contractors Association.